

FLAT BOTTOM SILOS SPECIFICATIONS

MODEL	Dia. (mt)	Ring Nr.	Eave Height (mt.)	Overall Height (mt.)	Volume (m³)	Barley (0,60) Capacity (ton)	Corn (0,72) Capacity (ton)	Rice (0,64) Capacity (ton)	Wheat (0,80) Capacity (ton)
SP-054808	5,48	8	7,28	8,86	184	110	133	118	147
SP-054809	5,48	9	8,19	9,77	206	123	148	132	164
SP-054810	5,48	10	9,10	10,68	227	136	163	145	182
SP-054811	5,48	11	10,01	11,59	248	149	179	159	199
SP-054812	5,48	12	10,92	12,50	270	162	194	173	216
SP-054813	5,48	13	11,83	13,41	291	175	210	186	233
SP-064008	6,40	8	7,28	9,13	254	152	183	162	203
SP-064009	6,40	9	8,19	10,04	283	170	204	181	227
SP-064010	6,40	10	9,10	10,95	312	187	225	200	250
SP-064011	6,40	11	10,01	11,86	342	205	246	219	273
SP-064012	6,40	12	10,92	12,77	371	223	267	237	297
SP-064013	6,40	13	11,83	13,68	400	240	288	256	320
SP-064014	6,40	14	12,74	14,59	429	258	309	275	344
SP-073108	7,31	8	7,28	9,39	335	201	241	214	268
SP-073109	7,31	9	8,19	10,30	373	224	269	239	298
SP-073110	7,31	10	9,10	11,21	411	247	296	263	329
SP-073111	7,31	11	10,01	12,12	449	270	324	288	360
SP-073112	7,31	12	10,92	13,03	488	293	351	312	390
SP-073113	7,31	13	11,83	13,94	526	315	379	336	421
SP-073114	7,31	14	12,74	14,85	564	338	406	361	451
SP-082308	8,23	8	7,28	9,66	429	258	309	275	343
SP-082309	8,23	9	8,19	10,57	478	287	344	306	382
SP-082310	8,23	10	9,10	11,48	526	316	379	337	421
SP-082311	8,23	11	10,01	12,39	574	345	414	368	459
SP-082312	8,23	12	10,92	13,30	623	374	448	399	498
SP-082313	8,23	13	11,83	14,21	671	403	483	430	537
SP-082314	8,23	14	12,74	15,12	719	432	518	460	576
SP-082315	8,23	15	13,65	16,03	768	461	553	491	614
SP-082316	8,23	16	14,56	16,94	816	490	588	522	653
SP-082317	8,23	17	15,47	17,85	865	519	623	553	692
SP-082318	8,23	18	16,38	18,76	913	548	657	584	730
SP-082319	8,23	19	17,29	19,67	961	577	692	615	769
SP-091408	9,14	8	7,28	9,92	535	321	385	342	428
SP-091409	9,14	9	8,19	10,83	595	357	428	381	476
SP-091410	9,14	10	9,10	11,74	654	393	471	419	524
SP-091411	9,14	11	10,01	12,65	714	428	514	457	571
SP-091412	9,14	12	10,92	13,56	774	464	557	495	619
SP-091413	9,14	13	11,83	14,47	833	500	600	533	667
SP-091414	9,14	14	12,74	15,38	893	536	643	572	715
SP-091415	9,14	15	13,65	16,29	953	572	686	610	762
SP-091416	9,14	16	14,56	17,20	1013	608	729	648	810
SP-091417	9,14	17	15,47	18,11	1072	643	772	686	858
SP-091418	9,14	18	16,38	19,02	1132	679	815	724	905
SP-091419	9,14	19	17,29	19,93	1192	715	858	763	953
SP-100507	10,05	7	6,37	9,27	582	349	419	372	465
SP-100508	10,05	8	7,28	10,18	654	392	471	418	523
SP-100509	10,05	9	8,19	11,09	726	436	523	465	581
SP-100510	10,05	10	9,10	12,00	798	479	575	511	639
SP-100511	10,05	11	10,01	12,91	870	522	627	557	696
SP-100512	10,05	12	10,92	13,82	942	565	679	603	754
SP-100513	10,05	13	11,83	14,73	1015	609	731	649	812
SP-100514	10,05	14	12,74	15,64	1087	652	782	696	869
SP-100515	10,05	15	13,65	16,55	1159	695	834	742	927
SP-100516	10,05	16	14,56	17,46	1231	739	886	788	985
SP-100517	10,05	17	15,47	18,37	1303	782	938	834	1043
SP-100518	10,05	18	16,38	19,28	1375	825	990	880	1100
SP-100519	10,05	19	17,29	20,19	1448	869	1042	926	1158

FLAT BOTTOM SILOS SPECIFICATIONS


MODEL	Dia. (mt)	Ring Nr.	Eave Height (mt.)	Overall Height (mt.)	Volume (m³)	Barley (0,60) Capacity (ton)	Corn (0,72) Capacity (ton)	Rice (0,64) Capacity (ton)	Wheat (0,80) Capacity (ton)
SP-109708	10,97	8	7,28	10,45	787	472	567	504	630
SP-109709	10,97	9	8,19	11,36	873	524	629	559	699
SP-109710	10,97	10	9,10	12,27	959	576	691	614	768
SP-109711	10,97	11	10,01	13,18	1045	627	753	669	836
SP-109712	10,97	12	10,92	14,09	1131	679	815	724	905
SP-109713	10,97	13	11,83	15,00	1217	730	876	779	974
SP-109714	10,97	14	12,74	15,91	1303	782	938	834	1043
SP-109715	10,97	15	13,65	16,82	1389	834	1000	889	1111
SP-109716	10,97	16	14,56	17,73	1475	885	1062	944	1180
SP-109717	10,97	17	15,47	18,64	1561	937	1124	999	1249
SP-109718	10,97	18	16,38	19,55	1647	988	1186	1054	1318
SP-109719	10,97	19	17,29	20,46	1733	1040	1248	1109	1386
SP-128009	12,80	9	8,19	11,89	1212	727	872	776	969
SP-128010	12,80	10	9,10	12,80	1329	797	957	850	1063
SP-128011	12,80	11	10,01	13,71	1446	868	1041	925	1157
SP-128012	12,80	12	10,92	14,62	1563	938	1125	1000	1250
SP-128013	12,80	13	11,83	15,53	1680	1008	1210	1075	1344
SP-128014	12,80	14	12,74	16,44	1797	1078	1294	1150	1438
SP-128015	12,80	15	13,65	17,35	1914	1148	1378	1225	1531
SP-128016	12,80	16	14,56	18,26	2031	1219	1462	1300	1625
SP-128017	12,80	17	15,47	19,17	2148	1289	1547	1375	1718
SP-128018	12,80	18	16,38	20,08	2265	1359	1631	1450	1812
SP-128019	12,80	19	17,29	20,99	2382	1429	1715	1525	1906
SP-137108	13,71	8	7,28	11,24	1269	761	914	812	1015
SP-137109	13,71	9	8,19	12,15	1403	842	1010	898	1122
SP-137110	13,71	10	9,10	13,06	1537	922	1107	984	1230
SP-137111	13,71	11	10,01	13,97	1672	1003	1204	1070	1337
SP-137112	13,71	12	10,92	14,88	1806	1084	1300	1156	1445
SP-137113	13,71	13	11,83	15,79	1940	1164	1397	1242	1552
SP-137114	13,71	14	12,74	16,70	2074	1245	1494	1328	1660
SP-137115	13,71	15	13,65	17,61	2209	1325	1590	1414	1767
SP-137116	13,71	16	14,56	18,52	2343	1406	1687	1500	1874
SP-137117	13,71	17	15,47	19,43	2477	1486	1784	1585	1982
SP-137118	13,71	18	16,38	20,34	2612	1567	1880	1671	2089
SP-137119	13,71	19	17,29	21,25	2746	1648	1977	1757	2197
SP-146309	14,63	9	8,19	12,41	1613	968	1161	1032	1290
SP-146310	14,63	10	9,10	13,32	1766	1059	1271	1130	1412
SP-146311	14,63	11	10,01	14,23	1918	1151	1381	1228	1535
SP-146312	14,63	12	10,92	15,14	2071	1243	1491	1326	1657
SP-146313	14,63	13	11,83	16,05	2224	1335	1601	1423	1779
SP-146314	14,63	14	12,74	16,96	2377	1426	1712	1521	1902
SP-146315	14,63	15	13,65	17,87	2530	1518	1822	1619	2024
SP-146316	14,63	16	14,56	18,78	2683	1610	1932	1717	2146
SP-146317	14,63	17	15,47	19,69	2836	1701	2042	1815	2269
SP-146318	14,63	18	16,38	20,60	2989	1793	2152	1913	2391
SP-146319	14,63	19	17,29	21,51	3142	1885	2262	2011	2513
SP-164509	16,45	9	8,19	12,94	2076	1246	1495	1329	1661
SP-164510	16,45	10	9,10	13,85	2269	1362	1634	1452	1815
SP-164511	16,45	11	10,01	14,76	2463	1478	1773	1576	1970
SP-164512	16,45	12	10,92	15,67	2656	1594	1912	1700	2125
SP-164513	16,45	13	11,83	16,58	2849	1710	2051	1823	2279
SP-164514	16,45	14	12,74	17,49	3043	1826	2191	1947	2434
SP-164515	16,45	15	13,65	18,40	3236	1941	2330	2071	2589
SP-164516	16,45	16	14,56	19,31	3429	2057	2469	2195	2743
SP-164517	16,45	17	15,47	20,22	3622	2173	2608	2318	2898
SP-164518	16,45	18	16,38	21,13	3816	2289	2747	2442	3053
SP-164519	16,45	19	17,29	22,04	4009	2405	2887	2566	3207

FLAT BOTTOM SILOS SPECIFICATIONS

MODEL	Dia. (mt)	Ring Nr.	Eave Height (mt.)	Overall Height (mt.)	Volume (m³)	Barley (0,60) Capacity (ton)	Corn (0,72) Capacity (ton)	Rice (0,64) Capacity (ton)	Wheat (0,80) Capacity (ton)
SP-182808	18,28	8	7,28	12,56	2371	1423	1707	1517	1897
SP-182809	18,28	9	8,19	13,47	2610	1566	1879	1670	2088
SP-182810	18,28	10	9,10	14,38	2848	1709	2051	1823	2279
SP-182811	18,28	11	10,01	15,29	3087	1852	2223	1976	2470
SP-182812	18,28	12	10,92	16,20	3326	1996	2395	2129	2661
SP-182813	18,28	13	11,83	17,11	3565	2139	2567	2281	2852
SP-182814	18,28	14	12,74	18,02	3803	2282	2738	2434	3043
SP-182815	18,28	15	13,65	18,93	4042	2425	2910	2587	3234
SP-182816	18,28	16	14,56	19,84	4281	2568	3082	2740	3425
SP-182817	18,28	17	15,47	20,75	4519	2712	3254	2892	3616
SP-182818	18,28	18	16,38	21,66	4758	2855	3426	3045	3807
SP-182819	18,28	19	17,29	22,57	4997	2998	3598	3198	3997
SP-182820	18,28	20	18,20	23,48	5236	3141	3770	3351	4188
SP-182821	18,28	21	19,11	24,39	5474	3285	3941	3504	4379
SP-182822	18,28	22	20,02	25,30	5713	3428	4113	3656	4570
SP-182823	18,28	23	20,93	26,21	5952	3571	4285	3809	4761
SP-201010	20,10	10	9,10	14,90	3499	2100	2520	2240	2800
SP-201011	20,10	11	10,01	15,81	3788	2273	2727	2424	3030
SP-201012	20,10	12	10,92	16,72	4077	2446	2935	2609	3261
SP-201013	20,10	13	11,83	17,63	4365	2619	3143	2794	3492
SP-201014	20,10	14	12,74	18,54	4654	2792	3351	2978	3723
SP-201015	20,10	15	13,65	19,45	4942	2965	3559	3163	3954
SP-201016	20,10	16	14,56	20,36	5231	3139	3766	3348	4185
SP-201017	20,10	17	15,47	21,27	5520	3312	3974	3533	4416
SP-201018	20,10	18	16,38	22,18	5808	3485	4182	3717	4647
SP-201019	20,10	19	17,29	23,09	6097	3658	4390	3902	4878
SP-201020	20,10	20	18,20	24,00	6386	3831	4598	4087	5108
SP-201021	20,10	21	19,11	24,91	6674	4004	4805	4271	5339
SP-201022	20,10	22	20,02	25,82	6963	4178	5013	4456	5570
SP-201023	20,10	23	20,93	26,73	7251	4351	5221	4641	5801
SP-201024	20,10	24	21,84	27,64	7540	4524	5429	4826	6032
SP-219410	21,94	10	9,10	15,43	4236	2542	3050	2711	3389
SP-219411	21,94	11	10,01	16,34	4580	2748	3298	2931	3664
SP-219412	21,94	12	10,92	17,25	4924	2954	3545	3151	3939
SP-219413	21,94	13	11,83	18,16	5268	3161	3793	3372	4214
SP-219414	21,94	14	12,74	19,07	5612	3367	4041	3592	4489
SP-219415	21,94	15	13,65	19,98	5956	3573	4288	3812	4765
SP-219416	21,94	16	14,56	20,89	6300	3780	4536	4032	5040
SP-219417	21,94	17	15,47	21,80	6643	3986	4783	4252	5315
SP-219418	21,94	18	16,38	22,71	6987	4192	5031	4472	5590
SP-219419	21,94	19	17,29	23,62	7331	4399	5278	4692	5865
SP-219420	21,94	20	18,20	24,53	7675	4605	5526	4912	6140
SP-219421	21,94	21	19,11	25,44	8019	4811	5774	5132	6415
SP-219422	21,94	22	20,02	26,35	8363	5018	6021	5352	6690
SP-219423	21,94	23	20,93	27,26	8707	5224	6269	5572	6965
SP-219424	21,94	24	21,84	28,17	9050	5430	6516	5792	7240
SP-228514	22,85	14	12,74	19,34	6123	3674	4408	3919	4898
SP-228515	22,85	15	13,65	20,25	6496	3898	4677	4157	5197
SP-228516	22,85	16	14,56	21,16	6869	4121	4946	4396	5495
SP-228517	22,85	17	15,47	22,07	7242	4345	5214	4635	5793
SP-228518	22,85	18	16,38	22,98	7615	4569	5483	4873	6092
SP-228519	22,85	19	17,29	23,89	7988	4793	5751	5112	6390
SP-228520	22,85	20	18,20	24,80	8361	5016	6020	5351	6689
SP-228521	22,85	21	19,11	25,71	8734	5240	6288	5590	6987
SP-228522	22,85	22	20,02	26,62	9107	5464	6557	5828	7285
SP-228523	22,85	23	20,93	27,53	9480	5688	6825	6067	7584
SP-228524	22,85	24	21,84	28,44	9853	5912	7094	6306	7882

FLAT BOTTOM SILOS SPECIFICATIONS

MODEL	Dia. (mt)	Ring Nr.	Eave Height (mt.)	Overall Height (mt.)	Volume (m³)	Barley (0,60) Capacity (ton)	Corn (0,72) Capacity (ton)	Rice (0,64) Capacity (ton)	Wheat (0,80) Capacity (ton)
SP-237614	23,76	14	12,74	19,60	6659	3995	4795	4262	5327
SP-237615	23,76	15	13,65	20,51	7062	4237	5085	4520	5650
SP-237616	23,76	16	14,56	21,42	7466	4479	5375	4778	5973
SP-237617	23,76	17	15,47	22,33	7869	4721	5666	5036	6295
SP-237618	23,76	18	16,38	23,24	8272	4963	5956	5294	6618
SP-237619	23,76	19	17,29	24,15	8676	5205	6246	5552	6940
SP-237620	23,76	20	18,20	25,06	9079	5447	6537	5810	7263
SP-237621	23,76	21	19,11	25,97	9482	5689	6827	6069	7586
SP-237622	23,76	22	20,02	26,88	9885	5931	7117	6327	7908
SP-237623	23,76	23	20,93	27,79	10289	6173	7408	6585	8231
SP-237624	23,76	24	21,84	28,70	10692	6415	7698	6843	8554
SP-237625	23,76	25	22,75	29,61	11095	6657	7989	7101	8876
SP-237626	23,76	26	23,66	30,52	11498	6899	8279	7359	9199
SP-246814	24,68	14	12,74	19,86	7227	4336	5204	4625	5782
SP-246815	24,68	15	13,65	20,77	7662	4597	5517	4904	6130
SP-246816	24,68	16	14,56	21,68	8097	4858	5830	5182	6478
SP-246817	24,68	17	15,47	22,59	8532	5119	6143	5461	6826
SP-246818	24,68	18	16,38	23,50	8968	5381	6457	5739	7174
SP-246819	24,68	19	17,29	24,41	9403	5642	6770	6018	7522
SP-246820	24,68	20	18,20	25,32	9838	5903	7083	6296	7870
SP-246821	24,68	21	19,11	26,23	10273	6164	7396	6575	8218
SP-246822	24,68	22	20,02	27,14	10708	6425	7710	6853	8566
SP-246823	24,68	23	20,93	28,05	11143	6686	8023	7132	8915
SP-246824	24,68	24	21,84	28,96	11578	6947	8336	7410	9263
SP-246825	24,68	25	22,75	29,87	12013	7208	8650	7689	9611
SP-246826	24,68	26	23,66	30,78	12448	7469	8963	7967	9959
SP-274214	27,42	14	12,74	20,66	9077	5446	6535	5809	7261
SP-274215	27,42	15	13,65	21,57	9614	5768	6922	6153	7691
SP-274216	27,42	16	14,56	22,48	10151	6090	7309	6496	8121
SP-274217	27,42	17	15,47	23,39	10688	6413	7695	6840	8550
SP-274218	27,42	18	16,38	24,30	11225	6735	8082	7184	8980
SP-274219	27,42	19	17,29	25,21	11762	7057	8469	7528	9410
SP-274220	27,42	20	18,20	26,12	12299	7379	8855	7871	9839
SP-274221	27,42	21	19,11	27,03	12836	7702	9242	8215	10269
SP-274222	27,42	22	20,02	27,94	13373	8024	9629	8559	10699
SP-274223	27,42	23	20,93	28,85	13910	8346	10015	8903	11128
SP-274224	27,42	24	21,84	29,76	14447	8668	10402	9246	11558
SP-274225	27,42	25	22,75	30,67	14985	8991	10789	9590	11988
SP-274226	27,42	26	23,66	31,58	15522	9313	11176	9934	12417



- SILOPRO Silos are designed for the storage of grain and other free-flowing materials
- Specifications and design are subject to change without notice.
- Other ring heights available in some diameters.
- % 6 Compaction factor is excluded.
- Typical Grain Densities:
Wheat approximately 800 kg/m³
Corn approximately 720 kg/m³
Rice approximately 640 kg/m³